

88VX Series Airline Respirator Selection Chart

1. Choose Window Style (Helmet included)



•Oval Window (Standard)




•Rectangular Window



•Box Front Optional

2. Choose Suspension



•88VXTG - Adjustable Pinlock Suspension



•88VXRT - Adjustable Ratchet Suspension

3. Choose Breathing Tube



•88VXBT - Nipple not included

4. Choose Flow Control Device



•F30, F30B, F30S - Constant Flow Control Valve, 1/4" Industrial Interchange
•F31 - Schrader
•F32 - Snap-Tite Steel
•F33 - Snap-Tite Brass
•F34 - Snap-Tite Stainless



•F35, F35B, F35S for Free-Air Pumps - Constant Flow Control Valve, 1/2" Industrial Interchange



Cool Tubes for Compressed Air
•AC100030, AC100030B, AC100030S - 1/4" Industrial Interchange
•AC100031 - Schrader
•AC100032 - Snap-Tite Steel
•AC100033 - Snap-Tite Brass
•AC100034 - Snap-Tite Stainless
•AC100037 - CEJN



Cool Tubes for Free-Air® Pumps
•FRIGITRON2000 - 1/2" Industrial Interchange
•FRIGITRON2000B - Brass
•FRIGITRON2000S - Steel

5. Choose Cape



•46VX - 28" Nylon Cape
•13VX - 38" Nylon Cape
•21VX - 38" Nylon Cape



•21821 - 38" "Golden Gate" Nylon Cape



•36VX - 38" Length Parka
•36XLVX - 38" Length Parka

6. Choose Cooling Vest



•DC70ML - Med/Lg Cool Vest
•DC70XLXXL - XL/XXL Cool Vest
•DC705XL - 5XL Cool Vest



•DC5040 - DUAL-COOL® Industrial Interchange
•DC5041 - DUAL-COOL Schrader
•DC5042 - DUAL-COOL Snap-Tite Steel
•DC5044 - DUAL-COOL Snap-Tite Stainless
•DC5047 - DUAL-COOL CEJN

7. Choose Belt and/or Accessories



•4612 - Nylon Belt



•HS - Heat Shield



•20NC - Chinstrap


88VX™ Series Airline Respirator

A complete 88VX™ Series Airline Respirator consists of the following three components:

1. Respirator Helmet and Cape
2. Breathing Tube with Fitting or Optional Climate Control Assembly
3. Breathing Air Supply Hose

All three Bullard components must be present and properly assembled to constitute a NIOSH approved respirator.

Approval No. TC-19C-293, Type C and CE, Continuous Flow Class



88VX™ Series Respirator Assemblies for use with Compressed Air

Respirators with 46VX Nylon Cape - 28" Length

- | | |
|-----------|--|
| 88VX3230 | F30 Constant Flow 1/4" Industrial Interchange Fitting |
| 88VXR3230 | Rectangular Window Version of 88VX3230 |
| 88VX3240 | F40 Adjustable Flow 1/4" Industrial Interchange Fitting |
| 88VX3230H | F30 Constant Flow 1/4" Industrial Interchange Fitting with 4696 Starter Hose 25' |
| 88VX3231 | F31 Constant Flow 1/4" Schrader Fitting |

All systems above include:

- Breathing tube assembly
- Inner and outer lens with Mylar lens cover (package of five)



Respirators with 13VX Nylon Cape - 38" Length

- | | |
|----------|---|
| 88VX1330 | F30 Constant Flow 1/4" Industrial Interchange Fitting |
|----------|---|

System above includes:

- Breathing tube assembly
- Inner and outer lens with Mylar lens cover (package of five)



Respirators with 21VX Nylon Cape - 38" Length

- | | |
|-----------|---|
| 88VX2130 | F30 Constant Flow 1/4" Industrial Interchange Fitting |
| 88VXR2130 | Rectangular Window Version or 88VX2130 |
| 88VX2140 | F40 Adjustable Flow 1/4" Industrial Interchange Fitting |

All systems above include:

- Breathing tube assembly
- Inner and outer lens with Mylar lens cover (package of five)



88VX™ Series Airline Respirator

88VX™ Series Respirator Assemblies for Use with Compressed Air

Respirators with 36VX Hibernia Parka (Tan) - 38" length

88VX3630	F30 Constant Flow 1/4" Industrial Interchange Fitting
88VX36XL30	88VX3630 with Extra-Large Parka

All systems above include:

- Breathing tube assembly
- Inner and outer lens with Mylar® lens cover (package of five)



88VX™ Series Respirator Assemblies for use with Bullard Free-Air® Pumps

Complete Respirator Work System

88VXSYS	88VX3235 Respirator with 46VX Nylon Cape - 28" length
	ADP20 Free-Air Pump
	V2050ST Air Supply Hose
	FRIGITRON2000 climate control device

All systems above include:

- Breathing tube assembly
- Inner and outer lens with Mylar lens cover (package of five)



Respirators with 46VX Nylon Cape - 28" length

88VX3235	F35 Constant Flow 1/2" Industrial Interchange Fitting
88VX3235H100	F35 Constant Flow 1/2" Industrial Interchange Fitting with V20100ST Supply Hose, 100'

All systems above include:

- Breathing tube assembly
- Inner and outer lens with Mylar lens cover (package of five)



88VX™ Series Airline Respirator

88VX™ Breathing Tube Assemblies

Constant Flow Breathing Tube Assemblies

E VX30	F30 1/4" Industrial Interchange (Hansen compatible) Quick-Disconnect Nipple
E VX31	F31 1/4" Schrader Quick Disconnect Nipple
E VX32	F32 1/4" Snap-Tite Steel Quick Disconnect Nipple
E VX33	F33 1/4" Snap-Tite Brass Quick Disconnect Nipple
E VX37	F37 1/4" CEJN Quick Disconnect Nipple
E VX38	F38 1/4" Bayonet Quick Disconnect Nipple

All above include:

- 88VXBT breathing tube
- 4612 nylon belt



Adjustable Flow Breathing Tube Assemblies

E VX40	F30 1/4" Industrial Interchange (Hansen compatible) Quick-Disconnect Nipple
E VX41	F31 1/4" Schrader Quick Disconnect Nipple
E VX42	F32 1/4" Snap-Tite Steel Quick Disconnect Nipple
E VX43	F33 1/4" Snap-Tite Brass Quick Disconnect Nipple
E VX47	F37 1/4" CEJN Quick Disconnect Nipple
E VX48	F38 1/4" Bayonet Quick Disconnect Nipple

All above include:

- 88VXBT breathing tube
- 4612 nylon belt



Constant Flow Breathing Tube Assembly

E VX35	F35 1/4" Industrial Interchange (Hansen compatible) Quick-Disconnect Nipple
--------	---

All above include:

- 88VXBT breathing tube
- 4612 nylon belt



Cool Tube Assembly for 88VX™ Series Respirators

AC1000 Cool Tube Assembly

- 1/4" industrial interchange (Hansen compatible) quick-disconnect nipple
- Adjustable temperature control
- 4612 nylon belt
- Approved for use with 88VX, CC20 and GR50 Series respirators
- For use with compressed air



88VX™ Series Airline Respirator

88VX™ Series Replacement Valves for Breathing Tube Assemblies for use with Compressed Air

F30

Constant Flow Control

- 1/4" Industrial Interchange (Hansen compatible) quick-disconnect nipple
- Threaded hose connector
- Connects to 88VXBT, L99BT, 20BT or 20LFBT
- Nylon belt



F31

Constant Flow Control

- 1/4" Shrader quick-disconnect nipple
- Threaded hose connector
- Connects to 88VXBT, L99BT, 20BT or 20LFBT
- Nylon belt



F32

Constant Flow Control

- 1/4" Snap-Tite steel quick-disconnect nipple
- Threaded hose connector
- Connects to 88VXBT, L99BT, 20BT or 20LFBT
- Nylon belt



F33

Constant Flow Control

- 1/4" Snap-Tite brass quick-disconnect nipple
- Threaded hose connector
- Connects to 88VXBT, L99BT, 20BT or 20LFBT
- Nylon belt



F37

Constant Flow Control

- 1/4" CEJN steel quick-disconnect nipple
- Threaded hose connector
- Connects to 88VXBT, 20BT or 20LFBT
- Nylon belt



F38

Constant Flow Control Valve

- 1/4" Bayonet steel quick-disconnect nipple
- Threaded hose connector
- Connects to 88VXBT
- Nylon belt
- No ball bearings to "jam up"



Blasting and Grinding


88VX™ Series Airline Respirator

88VX™ Series Replacement Valves for Breathing Tube Assemblies for use with Compressed Air

F40

Adjustable Flow Control


- 1/4" Industrial Interchange (Hansen Compatible) quick-disconnect nipple
- Threaded hose connector
- Connects to 88VXBT, 20BT or 20LFBT
- Nylon belt



F41

Adjustable Flow Control

- 1/4" Schrader quick-disconnect nipple
- Threaded hose connector
- Connects to 88VXBT, 20BT or 20LFBT
- Nylon belt



F42

Adjustable Flow Control


- 1/4" Snap-tite steel quick-disconnect nipple
- Threaded hose connector
- Connects to 88VXBT, 20BT or 20LFBT
- Nylon belt



F47

Adjustable Flow Control Valve

- 1/4" CEJN stainless steel quick-disconnect nipple
- Threaded hose connector
- Connects to 88VXBT, 20BT or 20LFBT
- Nylon belt



88VX™ Series Replacement Valves for Breathing Tube Assemblies for use with Bullard Free-Air Pumps

F35

Constant Flow Control

- 1/4" Industrial Interchange (Hansen Compatible) quick-disconnect nipple
- Threaded hose connector
- Connects to 88VXBT, L99BT, 20BT or 20LFBT
- Nylon belt



88VX™ Series Airline Respirator

88VX™ Series Replacement Parts for Breathing Tube Assemblies

4612 Nylon Belt



88VXBT Breathing Tube
• Nipple not included



88CK Breathing Tube Connector Kit
• Connector with sleeve
• Hardware
• Gasket
• "O" ring



88VX™ Series Airline Respirator

88VX™ Series Replacement Capes

-
- 46VX** **28" Length Nylon Cape (Tan)**
- Includes snap hooks
 - Includes breathing tube straps
 - Includes additional nylon liner in neck cuff area



-
- 13VX** **38" Length Nylon Cape (Tan)**
- Includes snap hooks
 - Includes breathing tube straps
 - Includes additional nylon liner in neck cuff area



-
- 21VX** **38" Length Nylon Cape (Tan)**
- Includes cinch straps/fabric ties
 - Includes breathing tube straps
 - Includes additional nylon liner in neck cuff area



-
- 21821** **38" Length "Golden Gate" Nylon Cape (Tan)**
- Cut-off cap sleeves
 - Includes cinch straps/fabric ties
 - Includes breathing tube straps
 - Includes additional nylon liner in neck cuff area



-
- 36VX** **38" Length Hibernia Parka (Tan)**
36XLVX **38" Length Hibernia Parka Extra-Large Size (Tan)**
- Nylon cape with long sleeves
 - Includes belt straps
 - Includes breathing tube straps
 - Includes additional nylon liner in neck cuff area



88VX™ Series Airline Respirator

88VX™ Series Replacement Parts and Accessories

- 88VXTG** **Adjustable Pinlock Headband Suspension**
- Sportek™ brow pad



- 88VXRT** **Adjustable Ratchet Headband Suspension**
- Sportek™ brow pad



- TT3** **Brow Pad**
- Sportek™ replacement brow pad for 88VXTG and 88VXRT headband suspensions



- TT3VI** **Brow Pad**
- Vinyl replacement brow pad for 88VXTG and 88VXRT headband suspensions



- 99PL** **Inner Shell/Air Plenum**
- Does not include headband suspension or chinstrap



- 20NC** **Elastic Chinstrap**
- For use with 88VX Series and 99PL only
 - 10 per package



88VX™ Series Airline Respirator

88VX™ Series Replacement Parts and Accessories

88CS

Elastic Chinstrap

- For use with 88PL only
- 10 per package



88CA

Replacement Carrying Strap



88VXAK

Maintenance Kit - Door/Gasket/Latch Assembly

- Includes 88VX Series door with catch, gasket, inner lens, bail and hinge pin in a preassembled kit ready for mounting



88VXRAK

Maintenance Kit - Rectangular Door/Gasket/Latch Assembly

- Includes 88VX Series door with catch, gasket, inner lens, bail and hinge pin in a preassembled kit ready for mounting



88VXBAIL

Replacement Bail for Latch Assembly

- 10 per package



88VXHP

Replacement Hinge Pins for Latch Assembly

- 10 per package



88VX™ Series Airline Respirator

88VX™ Series Replacement Parts and Accessories


- BFW** **Box Front Window Frame**
- Accommodates rectangular glass lens (77GLT)
 - Catch, bail and hinge pin in a preassembled kit; ready for mounting




- 77GLT** **Box Front Glass Lens**
- For use with 77BFW and BFW




- 77LG** **Box Front Lens Gasket**
- For use with 77BFW and BFW



- G4613** **88VXR Window Frame Gasket**
- Rectangular gasket



- G7713** **88VX Window Frame Gasket**
- Oval gasket



88VX™ Series Mylar® Lens

- 7714** **Adhesive-backed Mylar® Lens Cover**
- Clear
 - Rectangular
 - 25 per package



- 88VXLC** **Perforated Edge Mylar Lens Cover**
- Clear
 - 25 per package



88VX™ Series Airline Respirator

88VX™ Series Replacement Lenses

Inner Lens - Acetate, For Use with 77/88 Series

- P771B** • 25 per package
B771B • Eight packages of 25 lenses
- Oval
 - .040" thick



Inner Lens - Acetate, For Use with 88VXR/46 Series

- B461B** • 20 packages of 25 lenses
- Rectangular
 - .040" thick



Outer Lens - Acetate, For Use with 77/88 Series

- P771040** • 25 per package
B771040 • Eight packages of 25 lenses
- Oval
 - .040" thick



Outer Lens - Acetate, For use with 46 Series

- B461040** • 20 packages of 25 lenses
- Rectangular
 - .040" thick



Outer Lens - PETG, For Use with 77/88 Series

- P771020** • 50 per package
B771020 • Eight packages of 50 lenses
- Oval
 - .020" thick



- B771E040** • Eight packages of 25 lenses
- Oval
 - .040" thick

- P771R** • 50 per package
B771R015 • 10 packages of 50 lenses
- Rectangular
 - .015" thick



- B771D015** • 10 packages of 50 lenses
- Rectangular
 - .015" thick
 - Protective film on both sides of lens

Outer Lens - PETG, For Use with 88VX Series

- B771R020** • Seven packages of 50 lenses
- Rectangular
 - .020" thick



Outer Lens - PETG, For Use with 46 Series or 88VXR Series

- B461R015** • 10 packages of 50 lenses
- Rectangular
 - .015" thick

